

Sl. No. _____

***TERMS & CONDITIONS FOR SUPPLY OF
DENTAL EQUIPMENT FOR 2014 – 2015***

PRINCIPAL, S.C.B. DENTAL COLLEGE & HOSPITAL, CUTTACK
(HEALTH & F.W. DEPTT., GOVT. OF ODISHA)

Tel / Fax No. : 0671 – 2430975

**Bid Reference No. – SCB DENTAL COLLEGE & HOSPITAL /2014 -2015
EQIPMENTS- 002**

TENDER DOCUMENT FOR SUPPLY OF
DENTAL EQUIPMENT

DATE OF COMMENCEMENT OF SALE OF THE BID DOCUMENT : 15.02.2014

LAST DATE & TIME FOR SALE OF BID DOCUMENTS : 27.02.2014 upto 5 P.M

LAST DATE & TIME OF RECEIPT OF BID DOCUMENTS : 28.02.2014 upto 1:00 P.M

DATE OF OPENING OF BID DOCUMENT : 28.02.2014 at 3:00 P.M.

PLACE OF OPENING OF BID DOCUMENTS:	Principal
AND	S.C.B. Dental College & Hospital
ADDRESS FOR COMMUNICATION :	Cuttack.
AND	Tel / Fax: 0671 – 2414695 / 2430975
RECEIPT OF BID DOCUMENTS	E-mail: dentalscb@gmail.com

**OFFICE OF THE PRINCIPAL, S.C.B. DENTAL COLLEGE & HOSPITAL,
CUTTACK**

TERMS AND CONDITIONS FOR SUPPLY OF MEDICAL EQUIPMENT

- 1.1 Sealed tenders will be received by Dated 28.02.2014 upto 1:00 PM by the Principal, S.C.B. Dental College & Hospital, Cuttack, Odisha for the purchase of Dental Instruments / Equipments for S.C.B. Dental College & Hospital, Cuttack. Any tender received after the due date & time will be rejected / returned unopened to the sender. The tenders will be received through Regd. Post / Courier services / Speed Post only.
- 1.2 The Sealed tenders submitted by the tenderers will be opened by the Principal, S.C.B. Dental College & Hospital, Cuttack in his office at 3.00 P.M. on 28.02.2014. The tenderer or their duly authorized representatives are allowed to be present during the opening of the tenders, if they so like.

A. Specification of Equipment:

The list of Dental Instruments / Equipments to be supplied as per **Annexure – I**.

B. Documents to be submitted alongwith Bids :

1. Attested photocopy of up-to-date Sales tax / VAT clearance certificate
2. Technical Bid should contain as per the Specification given.
3. Price Bid, which should contain price of the Equipment including of all taxes & transportation charges.
4. The tenderer must submit earnest money deposit of 1% of the bid amount i.e. Rs. 1,500/- (Rupees One Thousand Five Hundred) only in favour of Principal, S.C.B. Dental College & Hospital, Cuttack in shape of Bank Draft from a Scheduled Bank payable at Cuttack. The EMD of the unsuccessful bidders will be returned back after finalisation of Bid.

C. Performance Security:

- a) The selected tenderer has to deposit 10% of the purchase order value in shape of Bank Draft / Bank Guarantee as performance security within 15 (fifteen) days of receipt of the purchase order.
- b) If the firm fails to supply in time or supplies not of standard quality item or violates the tender terms and conditions the EMD & performance security will be forfeited and the firm will be blacklisted for two years.

D. Tender Terms and Conditions :

- a) The selected firms will have to supply within 15 days from issue of purchase order.
- b) The item should arrive at the Principal, S.C.B. Dental College & Hospital, Cuttack in good condition.
- c) The rate will remain valid for one year from the date of approval.
- d) In the event of the date being declared as a holiday for purchaser's Office, the due date of submission of bids & opening of bids will be the following working date & time.
- f) The authority reserves the right to accept / reject any part thereof or all the bids & without assigning any reason thereof.

E. Issue of purchase order:

- a. The purchase order will be placed to the concerned firms with lowest Bid.

F. Payment:

100% payment will be made after receipt of stock entry certificates and submission of performance security.

Sd/-
Principal,
S.C.B. Dental College & Hospital, Cuttack

ANNEXURE – 1

List of Dental Instruments for S.C.B. Dental College & Hospital, Cuttack

Sl. No.	Name Of Instrument	Specification	Quantity
1	SHADE GUIDE FOR ALL-CERAMIC,	Vita 3D master and Vitapan	
2	METAL GAUGE	Thickness measuring instrument	
3	WAX PATTERN GAUGE	Thickness measuring instrument	
4	PESO REAMER	For post placement in RCT teeth	
5	GATES GLIDDEN DRILL	Thickness Measuring Instrument	
6	PNEUMATIC CROWN REMOVER	Pneumatic, autoclavable tips, Basic Kit Includes Easy Pneumatic Crown and Bridge Remover II Bridge remover tip - 1 Single crown remover tip - 2 Single crown remover contrangled tip - 3 Open-end adjustment wrench Rubber gasket Flexi-wire set	
7	ELECTRICAL CROWN REMOVER	Single crown remover tip - 2 Single crown remover contrangled tip - 3 Open-end adjustment wrench	
8	MANUAL CROWN REMOVER	Single crown remover tip - 2 Single crown remover contrangled tip - 3 Open-end adjustment wrench	
9	TYPHODONT WITH PLASTIC TEETH FOR PROSTHETIC LAB	Synthetic jaw analogue with simulated temporomandibula joint movement, provision for detachable synthetic teeth attachment with screw, in class – I occlusion , For Crown and bridge preparation	
10	INTRA-ORAL MAGNETS	Magnets and keepers for over-denture fabrication	
11	OVER-DENTURE ATTACHMENTS	Ring, bar, clips for over-denture fabrication	
12	EDUCATING MODELS	a. Educating models for FPD, Implant prostheses, veneers and b. Designing Partially edentulous Dentures(Kennedy Class I,II,III & IV) c. Completely edentulous dies Class I,II and III for teeth setting.	
13	METALIC FLASK AND CLAMP	Brass flask of sizes 8-10 for compression moulding, heat curing resin Flask for fluid resin technique	
14	WAX HEATER	Electrical wax heater with various cups	
15	WAX CARVER (FULLY PKT SET)	A set of manual wax carving instruments	
16	IMPLANT MICROSURVEYOR	Compass surveying system, portable hand held surveyor	
17	IMPLANT STRENGTHENING UNIT		
18	INTRA-ORAL SAND BLASTER (MICROETCHER)	Long tubing with compatible adapter for the airtorHandpiece point Of the dental chair, Fully autoclavable, 50 microns Aluminium oxide particle size, 360 degree adjustable nozzle.	
19	INTRA-ORAL GOTHIC ARCH TRACER	Jaw movement recording and centric relation positioning, one stylus and one tracing plate attachments to the jaw movement recording bases inside the mouth	
20	EXTRA-ORAL GOTHIC ARCH TRACER	Jaw movement recording and centric relation positioning, one stylus and one tracing plate attachments to the jaw movement recording bases outside the mouth	
21	DIE CUTTING MACHINE	<i>Voltage: AC 220V 50Hz , Power: 90W, Rotational speed: 2800rpm, Saw blade thickness:2 (mm), Dimensions: 47x37x34 cm</i>	
22	CLINICAL MICROMOTOR HAND PIECE	Contra-angle and straight	
23	HANAU WIDE-VU ARCON ARTICULATOR	With spring-bow, ear-piece, face bow, orbital indicator, bite fork	
24	WHIPMIX ARCON SEMI-ADJUSTIBLE ARTICULATOR	With magnetic mounting system, compatible with slidematicfacebow	

25	NON-ARCON SEMI-ADJUSTIBLE ARTICULATOR WITH FACIA FACE BOW	H2 series, average mandibular movement	
26	EQUIPMENT FOR MICROWAVE CURING OF DENTURE BASE RESIN	For polymerizing CD and RPD prostheses, microwave oven large size, with compatible flasks and resin material	
27	MICROWAVE FOR DENTURE CURING	Intello-wave technology, anti bacterial cavity50 cm wide, 35 cm deep, 30 cm tall, 500 – 1000 watts power, capacity – 28 Lit.	
28	DUPLICATORS AND DUPLICATING FLASK	<p>Duplicator: A. Programmable brushless agitator motor Temperature controls for precision warm-up and cool-down phases Intelligent heating strategy and provision for effective disposal of gel and prevention of nozzle blockage Maintainance of consistent gel quality Voltage: 200- 230V, 50/60Hz, B. Pressure Compaction unit for duplicating silicone materials(Wiropress) Wirotop Automatic mixing and metering unit for two component silicone material</p> <p>Duplicating Flask: (A) The Combi duplicating flask system or the individual aluminium duplicating flask Aluminium duplicating flask with aluminium top and rubber base Combi duplicating flask with wedge top, base and 2 base formers (2 sizes) The Combi duplicating flask system or the individual aluminium duplicating flask Aluminium duplicating flask with aluminium top and rubber base Combi duplicating flask with wedge top, base and 2 base formers (2 sizes) (B) Wirosil duplicating flask with stabilizing insert and three replaceable palatal formers of different sizes</p>	
29	PNEUMATIC CROWN REMOVER	Pneumatic, autoclavable tips, Basic Kit Includes Easy Pneumatic Crown and Bridge Remover II Bridge remover tip - 1 Single crown remover tip - 2 Single crown remover contrangled tip - 3 Open-end adjustment wrench Rubber gasket Flexi-wire set	
30	ELECTRICAL CROWN REMOVER	Single crown remover tip - 2 Single crown remover contrangled tip - 3 Open-end adjustment wrench	
31	MANUAL CROWN REMOVER	Single crown remover tip - 2 Single crown remover contrangled tip - 3 Open-end adjustment wrench	
32	TYPODONT WITH PLASTIC TEETH FOR PROSTHETIC LAB	Synthetic jaw analogue with simulated temporomandibula joint movement, provision for detachable synthetic teeth attachment with screw, in class – I occlusion , For Crown and bridge preparation	
33	IMPRESSION TRAYS	Upper & lower (size 0-4) ,Rim lock perforated metal impression trays. Plastic impression trays, perforated metallic EDENTULOUS / DENTULOUS trays of various sizes Triple trays Sectional trays	
34	SPOT WELDER	Operates on 220V All switches on frontal panel for easy operation Main cable very flexible and ISI marked Welding strength, welding pressure and electrode shape satisfying clinical norms.	
35	INTRA-ORAL MAGNETS	Magnets and keepers for over-denture fabrication	
36	OVER-DENTURE ATTACHMENTS	Ring, bar, clips for over-denture fabrication	
37	EDUCATING MODELS	a. Educating models for FPD, Implant prostheses, veneers and b. Designing Partially edentulous Dentures(Kennedy Class I,II,III & IV)	

		c. Completely edentulous dies Class I,II and III for teeth setting.	
38	METALIC FLASK AND CLAMP	Brass flask of sizes 8-10 for compression moulding, heat curing resin Flask for fluid resin technique	
39	WAX HEATER	Electrical wax heater with various cups	
40	WAX CARVER (FULLY PKT SET)	A set of manual wax carving instruments	
41	IMPLANT MICROSURVEYOR	Compass surveying system, portable hand held surveyor	
42	IMPLANT STRENGTHENING UNIT		
43	INTRA-ORAL SAND BLASTER (MICROETCHER)	Long tubing with compatible adapter for the airtorHandpiece point Of the dental chair, Fully autoclavable, 50 microns Aluminium oxide particle size, 360 degree adjustable nozzle.	
44	INTRA-ORAL GOTHIC ARCH TRACER	Jaw movement recording and centric relation positioning, one stylus and one tracing plate attachments to the jaw movement recording bases inside the mouth	
45	EXTRA-ORAL GOTHIC ARCH TRACER	Jaw movement recording and centric relation positioning, one stylus and one tracing plate attachments to the jaw movement recording bases outside the mouth	
46	DIE CUTTING MACHINE	<i>Voltage:</i> AC 220V 50Hz , <i>Power:</i> 90W, <i>Rotational speed:</i> 2800rpm, <i>Saw blade thickness:</i> 2 (mm), <i>Dimensions:</i> 47x37x34 cm	
47	CLINICAL MICROMOTOR HAND PIECE	Contra-angle and straight	
48	HANAU WIDE-VU ARCON ARTICULATOR	With spring-bow, ear-piece, face bow, orbital indicator, bite fork	
49	WHIPMIX ARCON SEMI-ADJUSTIBLE ARTICULATOR	With magnetic mounting system, compatible with slidematicfacebow	
50	NON-ARCON SEMI-ADJUSTIBLE ARTICULATOR WITH FACIA FACE BOW	H2 series, average mandibular movement	
51	EQUIPMENT FOR MICROWAVE CURING OF DENTURE BASE RESIN	For polymerizing CD and RPD prostheses, microwave oven large size, with compatible flasks and resin material	
52	MICROWAVE FOR DENTURE CURING	Intello-wave technology, anti bacterial cavity50 cm wide, 35 cm deep, 30 cm tall, 500 – 1000 watts power, capacity – 28 Lit.	
53	DUPLICATORS AND DUPLICATING FLASK	Duplicator: A. Programmable brushless agitator motor Temperature controls for precision warm-up and cool-down phases Intelligent heating strategy and provision for effective disposal of gel and prevention of nozzle blockage Maintainance of consistent gel quality Voltage: 200- 230V, 50/60Hz, B. Pressure Compaction unit for duplicating silicone materials(Wiropress) Wirotop Automatic mixing and metering unit for two component silicone material Duplicating Flask: (A) The Combi duplicating flask system or the individual aluminium duplicating flask Aluminium duplicating flask with aluminium top and rubber base Combi duplicating flask with wedge top, base and 2 base formers (2 sizes) The Combi duplicating flask system or the individual aluminium duplicating flask Aluminium duplicating flask with aluminium top and rubber base Combi duplicating flask with wedge top, base and 2 base formers (2 sizes) (B) Wirosil duplicating flask with stabilizing insert and three replaceable palatal formers of different sizes	
54	MONOPLANE ARTICULATORS	Non-adjustable, Mean Value- articulator, With permissible superio-inferior hinge movement without face attachment provision	

55	DIGITAL WAX CARVER	Digitally operated electrical wax carver with two detachable carving tools	
56	CASTROVIEJO TISSUE NIPPER	High quality Stainless steel with satin finish, Antimagnetic rust resistant, Acid Resistant 10CM/4"	2
57	CASTROVIEJO NEEDLE HOLDER	High quality Stainless steel with satin finish, Antimagnetic rust resistant, Acid Resistant STRAIGHT/SERRATED 14CM/5"	2
58	GOLDMAN-FOX PERIODONTAL POCKET MARKER,	High quality Stainless steel with satin finish, Antimagnetic rust resistant, Acid Resistant RIGHT & LEFT PAIRED CALIBRATED(1-2-3-5-7-8-9)	2
59	ALLODERM RTM	(REGENERATIVE SOFT TISSUE MATRIX 1×2CM)	1 PIECE
60	SIGNATURE SERIES COLLECTION PERIO STANDARD PERIO SET UP (IMPERIO)	14 instrument cassette, Blue (IM9148) ,6 satin steel mirror handle,5 front surface mouth mirror,11/12 old dominion university explorer,CP-12 Colour coded Probe, Everedge sickle scaler , Gracy curette, 13/14 colombia university curette.	1
61	INSTRUMENT SHARPENING KIT WITH ARKANSAS STONE	#4 flat Arkansas stone, #299 conical Arkansas stone, plastic test stick(5), Sharpen EZ stone oil and magnifying lens	1
63	COMBINATION OF STANDARD AND MINIATURE ANTERIOR JACQUETTE	High quality Stainless steel with satin finish, Antimagnetic rust resistant, Acid Resistant	2
64	YOUNGER GOOD CURETTE		2
65	CUMINE SCALER		2
66	BALL SICKLE SCALER		2
67	CRANE KAPLAN SCALER		2
68	HOE SCALER		2
69	CHIESEL SCALER		2
70	BARNHART CURETTE		2
71	AUSTIN RETRACTOR		2 PAIRS
72	OFFSET SCALPEL HANDLE		2
73	PAQUETTE BLADE HANDLE		2
74	ALLEN PERIOSTEAL ELEVATOR		2
75	MOLT PERIOSTEAL ELEVATOR		2
76	BUCK KNIFE		2
77	GOLDMAN FOX KNIFE		2
77	SUGARMAN PERIODONTAL FILES		2
78	OCHSENBEIN CHIESEL		2
79	BONE GRAFTING SYRINGE		2
80	BONE GRAFT SCOOP		2
81	BONE GRAFT CONDENSING INSTRUMENT		2
82	GOLDMAN FOX CURVED SCISSOR		2
83	CORN SUTURE PLIER		2
84	MICROSURGICAL TISSUE PLIER		2
85	MAYO-HEGAR NEEDLE HOLDER		3
86	GOLDMAN FOX WILLIAM'S PROBE		2
87	WILLIAMS GRADUATED PERIODONTAL PROBE		
88	U 15/30 SCALER, GRACY STANDARD CURETTE (NO1/2,3/4,5/6,7/8,9/10,11/12,13/14)		2 each
89	COLOMBIA 4R-4L UNIVERSAL CURETTE		2
90	15K/16K KIRKLAND GINGIVECTOMY KNIFE, ORBAN'S ½ INTERDENTAL KNIFE		2 each
91	MEMBRANE PLACEMENT INSTRUMENT (PMPI)		1
92	2N COLOR CODED NABERS PROBE (PQ2N6)		2
93	COMBINATION OF STANDARD AND MINIATURE ANTERIOR JACQUETTE		2
94	YOUNGER GOOD CURETTE		2
95	CUMINE SCALER		2
96	BALL SICKLE SCALER		2
97	CRANE KAPLAN SCALER		2
98	HOE SCALER		2
99	CHIESEL SCALER		2
100	BARNHART CURETTE		2
101	AUSTIN RETRACTOR		2 PAIRS

102	ORTHODONTIC PILLERS	Heat treated tips, Precise joint alignment, Smooth action in hand, FDA Approved, Stainless Steel contains 10% or more of chromium (Provide more resistant to corrosion), 10 YR Warranty	
	WEINGART PLIER HOW PLIER (STRAIGHT) LOOP FORMING PLIER YOUNG LOOP BENDING PLIER REYNOLDS BAND COUNTOURING PLIER ADAMS PLIER BIRD BEAK PLIER TWEED RECTANGULAR ARCH FORMING PLIER LINGUAL ARCH PLIER DE LA ROSA ARCH FORMING PLIER (GROOVED) POSTERIOR BAND REMOVER WITH PAD DEBONDING (BRACKET REMOVING) PLIER WITH PAD LINGUAL BRACKET DEBONDING PLIER. DISTAL END CUTTER PIN AND LIGATURE CUTTER LIGHT WIRE CUTTER NANCE LOOP FORMING PILERS ROSE TORQUING PLIERS ROSE TORQUING PLIERS-.016/.018 DOUBLE END KEY LIGATURE DIRECTOR DIRECT BOND BRACKET HOLDERS (BRACKET HOLDING TWIZER) LINGUAL WIRE PLACEMENT PLIER TAURETTE FOR LABIAL RECTANGUAL ARCH FORMING TAURETTE FOR LINGUAL RECTANGUAL ARCH FORMING		6 SETS
103	MATHIEU NIDDLE HOLDER	High quality Stainless steel with satin finish, Antimagnetic rust resistant, Acid Resistant	4
104	MOSQUITO ARTERY FORCEP-FINE TIP	High quality Stainless steel with satin finish, Antimagnetic rust resistant, Acid Resistant	8
105	DONTRIX GAUGE	Spring balance type, minimum measurement till 500 gms	2
106	PLIERS RACK	Space for hanging at least 10 pliers	8
107	BOONES GAUGE	High quality stainless steel framework with minimum marking till 6mm	6
108	TEMPORARY ANCHORAGE DEVICE (TAD,MICRO IMPLANTS)	Self –drilling and self –tapping screws A complete range of drills instruments for manual (screw driver) and mechanical screwing aid) Extensive range of accessories for connecting to the actual appliance Supplied with 100 screws with 3 different lengths.	2
109	TRANSPARENCY SCANNER	Dual lens system, minimum 6,400 DPI optical resolution, 4.0 DMAX for smooth gradation and fine shadow detection, anti-reflective optical coating and high reflection mirror, digital ICE technology, 8" x 10" transparency unit built into lead	2
110	METAL TYPODONT WITH METALIC TEETH	Hinge articulated Imported quality Stainless steel metal frame work Channel for waxforms Metal teeth (set of 28 teeth)	3 SET
111	RADIOGRAPHIC VIEW BOX (WITH LED LIGHT)	Minimum size 1ft X 1.5ft, 4 ft x 2 ft Digital control for controlling light exposure Imported LED chip as the light source Well finished fiber box. power supply: 100v/220v, 50~60hz power consumption: 36 watts viewing angle: any angle can be set; film density: 4.5 h/d ; luminance: 1, 00,000 lux plus; light intensity: variable; light source: imported led chip ;life span light source: 50,000 hrs plus ; spot light: dark room viewing films	10
112	HAND INSTRUMENT FOR DIFFERENT DENTAL USE	High quality stainless steel, anti-magnetic, rust-resistant, acid resistant, for various types of extraction forceps with Teflon discs in the joint (maxilla and	

		mandible – anterior, posterior, root forceps), apexo elevator, warwick jam elevator, straight kooplan elevator, cryor elevator, cross bar elevator, different types of composite filling instruments and amalgam filling instruments, mouth mirrors, dental explorers, straight probes, tweezers, tooth tweezers, kidney trays (autoclavable, plastic, 6 inches in size, 25-26g thickness 0.4 mm), microsurgery instruments like universal scissors, micro scissors, micro tissue forceps, micro-rongers, bone chisel, bone file, dissecting needle, artery-forceps	
113	CHEEK & LIP RETRACTORS	Anatomic designed with cushioned lip-supports that position lips away from anterior teeth and gums. Non-reflective for oral photography. Autoclavable to 320°F. Latex free. Set of 3 sizes.	40
114	SIALOGRAPHY KIT	Stainless steel, dilators – 4 sizes (0, 00, 000, 0000), cannula – 4 sizes, loading syringe	1
115	LEAD GLOVES	Adult size	2 PAIRS
116	RADIOGRAPHIC FILM STORAGE	Lead Container, Accommodates jackets for films up to 14" x 17" Upright: lid opens up, Side down: lid opens forward, Printed legend provided for either way, Sized for OSHA lift load capacity, Overall O.D.: 6 ¼" x 16" x 19 ½" Ships as 30 lbs. per case, 7+ cases ship via motor freight, 15 boxes/case	1
117	LEAD SCREEN	Size 3ft x 6 ft with glass 8" x 10"	2
118	LEAD APRON	Adult Size, 0.5 mm thick lead covered with cotton on both sides, overstraps, buckles & hand gloves (size 6 to 7.5) with 0.5 mm thickness lead	4
119	THYROID COLLAR	Adult size	4
120	EXTRA ORAL CASSETTE	with intensifying screen –10" x12", 8" x10"	1 EACH
121	BIOPSY KIT	Stainless Steel, BP handle, scissor, artery forceps, needle holder, suture needle size 3, BP blade no. 15	2 SET
122	DIGITAL EXTRA-ORAL MACHINE – COMPUTERIZED RADIOGRAPHY WITH SCANNER, PRINTER AND WORK STATION (COMPUTER)	Should be a CR System Machine should be floor mounted, ELEVATING FLOAT-TOP TABLE Wall stand should be present for making PA views of the skull. Wide vertical-travel range with minimal focal spot-to-floor distance as well as upright examinations of adults Ergonomically designed hand control should allow operators to easily adjust, from a comfortable standing position. Wall mounted stand for PA views of the skull should be present. X ray machine specifications: high frequency generator -KV: 100 -150 -Precision 2 % -Protection level against electric shocks: type B -Ma: 10 to 150 (direct current) -Mas maximum: 600 per exposure -ripple: 4 % peak to peak at 100 KV -minimum time: 0.003s -power 80KW approximately Touch Screen Monitor speeds work with quick selection of body parts and views Imaging plates size: 14" x 17", 14" x 14", 10" x 12", 8" x 10", one each and should be of PSP type. (Computerized radiography) With Scanner and Printer. Printer should be a dry laser printer should support the following sizes 14 x 17 in. (35 x 43 cm), 14 x 14 in. (35 x 35 cm), 10 x 12 in. (25 x 30 cm), 8 x 10 in. (20 x 25 cm). should have 508 laser pixels per inch 50 micron laser spot spacing and 14-bit pixel depth architecture Computer specifications: The digital workstation should be based on the latest high speed processors of at least 32 bit. - It should have the possibility of acquiring the image from the detector system. - The system should have ready DICOM interface and networking capability - . Post processing function must be available. . One state of the art, latest Pentium systems, Minimum 2 GB RAM, Medical grade monitor supported by all the necessary software for all the	1

		various CR functions , and one additional fully networked Workstation with high resolution monitors	
123	MAGNIFYING LENS	Should be table-top	3
124	MAGNIFYING LENS	Hand-held with self illumination	2
125	LOUPS	By Magnification Power <u>2.0x – 2.9x, 3.0x – 3.9x, 4.0x – 4.9x</u> By Telescope Model HiRes 2, HiRes 3, HiRes Plus, Dimension 3, Laser Loupes, Laser Insert	3
126	PORTABLE X-RAY MACHINE	60Kv/2Ma Toshiba tube Exposure time (.01-2.0 sec) Graphic LCD display IOPA film & radio visiography sensor compatible Round type beam limiting device Total filtration 1.8 mm AlAC 60-70 X-ray shots on film or 90 to 100 x-ray shots on sensor once battery is recharged Internally lead coated to avoid over exposure & dispersion of radiation Rechargeable lithium-polymer battery Patient & tooth selection mode Ideal for multi chair clinics	1
127	PROTAPER ROTARY FILES	S1, S2, F1, F2, F3, F4 and F5	10 each
128	PROTAPER GUTTA-PERCHA CONES	S1, S2, F1, F2, F3, F4 and F5	10 each

Sd/-
Principal
S.C.B. Dental College & Hospital,
Cuttack